U.S. Postal Service
CERTIFIED MAIL RECEIPT (Domestic Mail Only; No Insurance Coverage Provided) F221 6221 2105 2105 Postage \$ Certified Fee Postmark E200 Return Receipt Fee (Endorsement Required) 0023 Here Restricted Delivery Fee (Endorsement Required) 0520 Total Postage & Fees Recipient's Name (Please Print Clearly) (79 be completed by maller) Street, Apt. No.; or PO Box No. 2000 7000 City, State, ZIP+ 4 PS Form 3800, February 2000 See Reverse for Instruction

Strategical Contraction and Contraction of the Cont

- PATASAS

s your RETURN ADDRESS completed on the reverse side?	SENDER: Complete items 1 and/or 2 for additional services. Complete items 3, 4a, and 4b. Print your name and address on the reverse of this form so that we card to you. Attach this form to the front of the mailpiece, or on the back if space permit. Write "Return Receipt Requested" on the mailpiece below the article. The Return Receipt will show to whom the article was delivered and delivered.	e does not 1. Addressee's Address e number. d the date 2. Restricted Delivery
	3. Article Addressed to: Stimson Lane Ltd PO Box 1976 Woodinville WA 98072	4a. Article Number 2/05
	5. Received By: (Print Name) J, M L A i R 6. Signature: (Addressee or Agent) X	8. Addressee's Address (Only if requested and fee is paid)
1	PS Form 3811 , December 1994	Domestic Return Receipt

And the second of the second o

Commence of the contract of th



STATE OF WASHINGTON

DEPARTMENT OF ECOLOGY

15 West Yakima Avenue, Suite 200 • Yakima, Washington 98902-3452 • (509) 575-2490

May 17, 2001

CERTIFIED MAIL

Stimson Lane Ltd PO Box 1976 Woodinville WA 98072

RE: Emergency Drought Change Authorization (Surface Water Permit No. 14583)

Enclosed please find a copy of the Department of Ecology's Emergency Drought Change Authorization(s). This report constitutes our determination and order regarding the above-referenced application for change. If you have any questions or concerns about any of this information, please call Carol Mortensen of the Department of Ecology at (509) 575-2597.

This Order may be appealed pursuant to RCW Chapter 43.21B. The person to whom this Order is issued must file an appeal with the Pollution Control Hearings Board within thirty (30) days of receipt of this Order. Send the appeal to: Pollution Control Hearings Board, P.O. Box 40903, Olympia, Washington 98504-0903. At the same time, a copy of the appeal must be sent to: Department of Ecology, Fiscal Office, P.O. Box 47615, Olympia, Washington 98504-7615. All others receiving notice of this Order must file an appeal with the Pollution Control Hearings Board within thirty (30) days of the date the Order was mailed in the same manner described above.

Sincerely

Robert F. Barwin, Section Manager

Water Resources Program

RFB:gg 010550a

Enclosures: Emergency Drought Change Authorization(s)

f-1ch.doc



STATE OF WASHINGTON

DEPARTMENT OF ECOLOGY

15 West Yakima Avenue, Suite 200 • Yakima, Washington 98902-3452 • (509) 575-2490

May 17, 2001

To:

Carroll Palmer, Yakama Nation

RE: Emergency Drought Change Authorization (Surface Water Permit No. 14583)

Enclosed is a copy of the Department of Ecology's Emergency Drought Change Authorization(s), which constitutes our determination and order regarding the above-referenced application(s). If you have any questions or concerns about any of this information, please call Carol Mortensen of the Department of Ecology at (509) 575-2597.

This Order may be appealed pursuant to RCW Chapter 43.21B. The person to whom this Order is issued must file an appeal with the Pollution Control Hearings Board within thirty (30) days of receipt of this Order. Send the appeal to: Pollution Control Hearings Board, P.O. Box 40903, Olympia, Washington 98504-0903. At the same time, a copy of the appeal must be sent to: Department of Ecology, Fiscal Office, P.O. Box 47615, Olympia, Washington 98504-7615. All others receiving notice of this Order must file an appeal with the Pollution Control Hearings Board within thirty (30) days of the date the Order was mailed in the same manner described above.

Sincerely,

Robert F. Barwin, Section Manager

Water Resources Program

RFB:gg 010550b

Enclosures: Emergency Drought Change Authorization(s)

f-loth.doc